

index

A

abortion

- access to services xv, 51, 52
- aftercare xv, xxi, 44, 51, 52
- complications 51–52
- legal aspects xxi, 52
- numbers 48, 49
- sex-selective 48, 85
- unsafe xiv, xx, xxi, 10, 13, 44, 50–51, 63

access to care

- abortion services xv, 51, 52
- adolescents 49
- barriers 26, 48, 86
- district approach 32
- entitlement 4, 5, 7, 35, 129
- financial barriers xviii, xxiii, 86, 137, 139
- Latin America 130
- limited 53
- maternal, neonatal and child health 132, 137–140, 141, 143
- effect on neonatal mortality 88
- refugees 51
- reproductive health xiv, 6, 49, 125
- third-party authorization 53
- universal xiv, xvi–xix, xxii–xxiii, 6, 32, 68, 88–98, 125, 137–141, 143
- see also* exclusion

acute lower respiratory infections, as cause of death 106

adolescent girls

- unsafe abortion 51
- unwanted sex 49–50
- vulnerability 48

adolescents, lack of access to contraceptives 49

African Region

- child mortality 8–9
- exclusion from health benefits 26
- immunization coverage 26
- low uptake of contraception 49

African Region (*continued*)

- low uptake of professional birth care 86
- maternal deaths 62
- neonatal deaths 9, 82
- reversal or stagnation of mortality 13, 82
- unsafe abortions 50, 51
- see also* sub-Saharan Africa

alcohol *see* lifestyles, unhealthy

Americas (Region of the)

- child mortality 8–9
- immunization coverage 26
- neonatal mortality 82

anaemia 45, 63

Angola, expenditure on child health 117

antenatal care

- barriers to access 48
- coverage xx, 48
- increased uptake 11, 12, 42–43
- ineffective interventions 47–48
- as opportunity xiv–xv, xx, 42–48, 86
- see also* pregnancy

antenatal screening 47, 69

antibiotics 108, 113

antimalarials 44, 108, 113

APGAR test 84

Asia

- neonatal deaths 9
- unsafe abortions 50, 51
- uptake of antenatal care 42

asphyxia 80, 81, 86

asset quintiles 30

Australia, midwifery training 72

B

babies *see* children; newborns

Baby-Friendly Hospitals initiative 104–105

- back-up care xv, xxi, xxii, 69, 71–73, 87, 111
 - estimating requirement 90–91
 - see also* hospitals
- Bangladesh
 - community development programmes 110
 - emergency care 93
 - Health and Population Sector Strategy (HPSS) 142
 - massive deprivation 31
- basic indicators for WHO Member States 174
- Benin
 - childbirth costs 93
 - emergency care 93
 - exclusion from health benefits 27
 - health centres 32
 - human resources gap 95
 - resuscitation skills 87
- Bhutan, emergency care 93
- Bill & Melinda Gates Foundation 126
- birth
 - complications xxi, 32, 62, 63, 65, 69, 86
 - costs 93, 139
 - home 2, 43, 67, 73, 87, 88
 - injuries 81
 - morbidity/mortality xv, xx, 10
 - number increasing 13
 - planning xx, 46–47, 86
 - risks 62
 - rituals surrounding 69
 - skilled attendance xv, xxi, 10–12, 65–74, 86–88, 90, 91–92
- birthing centres/facilities xxi, 72, 91
- birthing culture 69
- births and deaths, registration 11, 12, 53
- bleeding *see* haemorrhage
- blood transfusion 63
- Bolivia
 - maternal mortality decreased 11
 - National Maternal and Child Health Insurance Programme 140
 - uptake of professional birth care 86
 - women's groups 88
- Botswana
 - child mortality 23
 - midwifery training 72
- Brazil
 - catastrophic health care costs 140
 - communication skills of health workers 110
 - marginal exclusion from health benefits 31
 - salary increases 137
- Brazzaville (Congo), maternal mortality 92–93
- breastfeeding 87–88, 104–105, 110, 115
- Burkina Faso
 - district hospitals 33
 - exclusion from health benefits 27
 - health system problems 33, 95, 128
 - home management of malaria 110
- Call to Action for Safe Motherhood 3–4
- Cambodia
 - district policies 32
 - exemptions from user fees 139
 - post-conflict area 127, 133
 - salary increases 137
 - unsafe abortions 50–51
- Cameroon, public health expenditure 32
- Canada
 - abuse during pregnancy 47
 - midwifery training 72
- care
 - complementarity 108–109
 - seeking 89, 109, 111
 - see also* child care; continuity of care; health care; neonatal care
- caregivers, receptivity 108
- Caribbean
 - unsafe abortion 51
 - uptake of antenatal care 42
- case management 109
- causes of death
 - children under five 106, 190
 - neonates 80–81, 190
 - reporting 11, 12
- Chad
 - emergency care 93
 - expenditure on child health 117
 - massive deprivation 31
- child care, integrated 108–115
- child health
 - economic aspects 115–119
 - integrated approach 111
 - primary health care programmes 3
 - uneven gains 8–9
 - see also* maternal, neonatal and child health
- child mortality xiv, xv, xix, 8–9, 14, 80, 182, 186
 - effect of poor care-seeking 109
 - effect of socioeconomic development 84–85
 - Millennium Development Goals xv
 - stagnated or reversed 16
 - variations 83
- Child Survival Partnership 127
- Child Survival Revolution 104
- childbirth *see* birth
- children
 - causes of death 106, 190
 - core interventions for survival 115
 - developmental problems 45
 - exclusion from care 25–32
 - failure to thrive 108
 - home care 2, 108, 110
 - mortality *see* child mortality
 - nutritional status *see* malnutrition
 - rights and entitlements 4, 5, 7
 - seen as national resource 2
 - stunting and underweight 9

C

caesarean section 12, 64, 71, 93, 94

- China
 child mortality 9
 sex ratio at birth 85
- civil society organizations 141–143
- Colombia
 catastrophic health care costs 140
 marginal exclusion from health benefits 31
 neonatal deaths 85
- community health workers 110, 111, 112, 115, 133
 non-professional 89, 90
- congenital defects/anomalies 80
- congenital rubella syndrome 81, 86
- Congo (Democratic Republic)
 child mortality 9
 expenditure on child health 117
 health care system 25, 35
- consumer protection 142
- continuity of care xv, xxii, 48, 73, 86, 88, 89, 111, 113, 129, 131
- contraception xv, xxi, 46, 49, 50
see also reproductive health
- costs *see* economic aspects; health care costs; health expenditure; user fees
- Côte d'Ivoire, health expenditure 117
- Cuba, improvements in health care 130
- D**
- Darfur 133
- decentralization 32, 90
see also district approach
- depression, maternal 45, 47, 65, 108
see also mental ill-health
- development organizations, recruitment policies 136
- developmental problems of childhood 45
- diarrhoea
 as cause of death 80–81, 89, 106, 107
 management 111, 115
- disability 10, 79
- discrimination xv, xxi, 29, 41, 85
- district approach xiv, xx, 21, 25, 31–35, 73, 114–115, 129
- district hospitals xx, 21, 33, 34, 67, 73, 109, 119
- doctors
 numbers required 91
 role in childbirth 70
see also gynaecologists-obstetricians; health care workers
- Dominican Republic, exclusion from health care 31
- donor funding *see* funding
- donor interventions in the labour market 136
- drugs *see* lifestyles, unhealthy
- E**
- Eastern Mediterranean Region
 child mortality 8–9
 immunization coverage 26
 maternal deaths 62
 neonatal mortality 82
- eclampsia and pre-eclampsia xxi, 45, 63, 64
- economic decline xiv, 83
- ectopic pregnancy 45
- Ecuador
 exclusion from health care 28
 resuscitation skills 87
- Egypt
 abuse during pregnancy 47
 reduced maternal mortality 11, 44, 67
 uptake of professional birth care 86
- emergencies *see* humanitarian crises
- emergency referral 71
- EPI-plus 108
see also Expanded Programme on Immunization
- episiotomy 94
- Ethiopia
 abuse during pregnancy 47
 child mortality 9
 community health workers 112
 expenditure on child health 117
 home management of malaria 110
 massive deprivation 31
- European Region
 child mortality 8–9
 immunization coverage 26
 maternal deaths 62
 neonatal mortality 82
- exclusion
 caused by user fees 138–139
 key feature of inequity xiii
 of mothers and children xx, 2, 25–32
 patterns and sources xx, xxi, 29–30, 139
see also access to care
- Expanded Programme on Immunization xxii, 104
- F**
- faeces, safe disposal 110
- failure to thrive 108
- family, *see* households
- family planning xx, 6, 34, 46, 48, 49, 86, 126, 142
- family practices, key 109, 110
- female genital mutilation 53
- fertility, global drop 49
- fetal alcohol syndrome 45
- fetal growth, restricted 79, 81
- financial barriers to access xviii, xxiii, 86, 137, 139
- financial exploitation 93, 94
- financial protection
 against costs of seeking care 137–140
 merging schemes 140–141
 system building 140–143
- first-level care xv, xxii, 69, 71, 72, 73, 90, 91
- fistulae 64
- funding
 channelling resources 140–143
 donor 126, 129, 130, 142
- G**
- Gambia, health information 128

- gender
 - as source of exclusion 26
 - see also* violence, gender-related; women
 - Georgia, salary increases 137
 - Ghana
 - childbirth costs 93
 - health centres 32
 - human resources crisis 33
 - Global Campaign for the Elimination of Fistula 64
 - Global Strategy for Infant and Young Child Feeding 104
 - GOBI (growth monitoring, oral rehydration therapy for diarrhoea, breastfeeding, and immunization) 104
 - government, role 141, 142
 - Guatemala, indoor air pollution 110
 - Guinea
 - district structure 33–35
 - failings of health system 29
 - Guinea-Bissau, salaries and incentives 33
 - gynaecologists-obstetricians 70, 71, 91, 95
- H**
- haemorrhage xxi, 45, 63
 - Haiti, exclusion from health benefits 27
 - health care
 - access *see* access to care
 - discriminatory 28
 - first-level xv, xxii, 69, 71, 72, 73, 90, 91
 - public sector xviii, xix, 134–136, 138, 141
 - health care costs
 - catastrophic 140
 - cause poverty xiv
 - prepayment and pooling 137
 - unaffordable 28
 - health care workers
 - absenteeism 33
 - communication skills 110
 - and households/communities 89, 108, 109–111, 112, 119
 - human resources shortage xiv, xvii, xxiii, 33, 93, 95, 132–133
 - ICMI guidelines, tools and training 109
 - inappropriate behaviour 134–135
 - lack of effectiveness 133–134
 - multipurpose 74, 86, 133
 - qualifications and competence 93
 - recruitment difficult 24
 - rehabilitation 132–137
 - remuneration and incentives xvii–xviii, xxiii, 33, 134, 136–137
 - training 72, 87, 113, 133
 - vulnerable to HIV/AIDS 33
 - working environment xviii
 - health centres, primary care 32
 - health districts *see* district approach
 - health expenditure
 - increase xxii, xxiii
 - national health accounts indicators 192, 200
 - per capita 200
 - see also* scaling up
 - health outcomes, inequalities 30
 - health professionals *see* health care workers
 - health sector
 - commercialization 93
 - infrastructure gap 93
 - reforms 127–128, 129
 - state underfunding 127
 - health services/systems
 - building 65–68
 - disruption 83
 - insufficient investment xiv
 - public expenditure xvii
 - scaling up xvi–xvii
 - strengthening xvi–xvii
 - sustainable xiii
 - health workers/workforce *see* health care workers
 - Healthy Newborn Partnership 127
 - HIV/AIDS
 - as cause of death 106
 - effect on health care system xiv, 21–24, 33
 - effect on maternal, neonatal and child health xx
 - effect on neonatal mortality 83
 - mortality during pregnancy 45
 - orphans 23
 - prevention and care 115
 - in sub-Saharan Africa 23
 - home birth *see* birth, home
 - home visits by health staff 89
 - see also* health care workers, and households/communities
 - Honduras
 - failings of health system 28
 - reduced maternal mortality 67
 - hospitals
 - back-up care 71, 87, 111
 - district xx, 21, 33, 34, 67, 73, 109, 119
 - referral 32, 86, 111–112
 - transport to 112
 - see also* back-up care
 - household surveys 82
 - households
 - care of children 112
 - empowerment 112
 - and health workers 109–111
 - key practices 110
 - human resources crisis 33, 93, 95, 132
 - see also* health care workers
 - human rights 3, 5, 53
 - humanitarian crises xiv, xx, 21, 22, 24–25
 - hypertensive disorders *see* eclampsia and pre-eclampsia
- I**
- iatrogenesis 87, 93
 - immunization/vaccination
 - coverage 104
 - indicators in WHO Member States 204
 - key intervention 115
 - programmes xvi, 104
 - trends 26
 - used as opportunity 108

- India
 abortion 52
 abuse during pregnancy 47
 child mortality 9
 counselling 111
 failings of health system 28, 29
 health problems after birth 64
 inappropriate oxytocin use 94
 number of births increasing 13
 sex ratio at birth 85
- Indonesia
 midwifery 72, 91
 uptake of professional care 42, 86
- indoor air pollution 110
- industrialized countries, first-level midwifery care 73
- infant feeding 115
see also breastfeeding
- infection xxi
 as cause of death 63, 64, 80–81
 reducing risk 86
- insecticide-treated bednets 25, 44, 46, 108, 110, 115
- insurance schemes xviii, xxiii, 137–140
 voluntary/limited 139–140
- Integrated Management of Childhood Illness (IMCI) xvi, xxii, 107–108, 109, 111
 national and sub-national guidelines 112
 scaling up 112–119
- Intermittent Preventive Treatment in Infants Consortium 44
- International Code of Marketing of Breast-milk Substitutes 104
- international community, sustained political commitment xix
- International Conference on Population and Development, Cairo 4–6, 51, 125, 128
- International Labour Organization, Maternity Protection Convention 3, 53
- Iraq
 breakdown of health system 68
 maternal and neonatal mortality 68
- J**
- Jamaica, resuscitation skills 87
- K**
- Kazakhstan, exclusion from health care 26
- Kenya
 health centres 32
 midwifery training 72
 user fees 138–139
- knowledge–skills gap 72
- L**
- Lao People's Democratic Republic, antenatal care 43
- Latin America
 exclusion from health benefits 26
 improved access to care 130
 unsafe abortion 51
 uptake of antenatal care 42
- Liberia, post-crisis situation 133
- lifestyles
 counselling 46, 48, 86
 unhealthy 44, 45
- M**
- malaria
 as cause of death 106
 endemic areas 25
 intermittent preventive treatment 86, 115
 management 110, 112, 115
 morbidity and mortality 44, 45
- Malawi
 breakdown of health system 67
 child mortality 23
 increasing number of midwives 67
 maternal mortality 11
 triage in hospital 112
- Malaysia
 midwifery 66, 73
 sustained improvements 130
- Mali
 exclusion from health benefits 27
 expenditure on child health 117
 health centres and services 33
 human resources problems 33, 95
 inappropriate oxytocin use 94
- malnutrition 9, 45, 81, 108
- marginalization xx, xxi, 29–30
- marriage, minimum age 53
- massive deprivation xx, 29–30
- maternal and child health (MCH), now maternal, neonatal and child health (MNCH) 125
- maternal deaths
 causes 62
 definition 62
 devastating effect 1
 during pregnancy 44
 mortality rates xiv
 postpartum xxi
 unpredictable 62
- maternal health xvii, 10–12, 22, 81
- maternal mortality
 current figures 15, 61
 decreased 10–11
 difficulty of obtaining information 11, 12
 effect of skilled attendance 10, 88
 large variations 62
 main causes xxi
 and professionalization of midwifery 65–68
 reduction 65, 95
 reversals 11
 Sri Lanka 66
 variations 83
- maternal, neonatal and child health (MNCH)
 barriers to uptake 86
 definition xiii
 economic aspects 6, 137

maternal, neonatal and child health (MNCH) (*continued*)

- effect on child mortality 85
- funding 125, 126, 137
- global partnerships 127
- historical aspects 2–3
- indicators 212
- integration 128
- international advocacy 132
- key intervention 115
- lack of progress xx, 1
- Millennium Development Goals xix, 2, 7–8
- political aspects xix, xxiii, 129–132, 141
- and primary health care movement 31
- priorities xiii, 128
- public health aspects xix, 2–3, 6–7, 45, 47, 52
- repositioning xiii, 125–130
- scaling up xvii, xxii, xxiii, 93–98, 114–119, 133, 137
- technical focus 127, 128, 129, 132
- universal access/entitlement to care 137–140, 141, 143
- maternity leave 53
- measles, as cause of death 106
- mental ill-health, in pregnancy 45
- Mexico, abuse during pregnancy 47
- micronutrients 45, 81, 110, 115
- midwife-led birthing facilities xxi, 72, 91
- midwifery skills xxi, 64, 68, 69, 71, 86
- midwives
 - licensed/professional xv, 65–66, 70
 - numbers required 91
 - training 72, 133
- Millennium Development Goals
 - child mortality xv
 - health-related xiii, xxiii, 8
 - maternal, neonatal and child health xvii, xix, 1, 2, 7–8
- misoprostil 63
- molar pregnancy 45
- Mongolia
 - breakdown of health system 67
 - economic crisis 22–23, 127
- Morocco
 - emergency care 93
 - uptake of professional birth care 86
- mortality rates
 - children under five 182, 186
 - inequalities and patchy progress 12–13
 - reversals xiv, xv, xix, 11, 13, 16, 82, 83
- Mothers' Charter 3
- mothers and children
 - access to care 132
 - exclusion from care 25–32
 - rights and entitlements 35
 - see maternal, neonatal and child health
- Mozambique
 - low salaries for nurses 134
 - post-crisis situation 133
- multipurpose health care workers 74, 86, 133

N

- national health accounts indicators 192
 - neonatal care xvi, 87, 88–89, 115
 - neonatal conditions, as cause of death 106
 - neonatal mortality xiv, xv, xix, xxii, 9–10, 15, 85, 88
 - variations 9, 83
 - Nepal
 - inappropriate oxytocin use 94
 - women's groups 88, 110
 - newborns
 - causes of death 80–81, 190
 - first week of life 79
 - health problems xiii, xv, xxi–xxii, 10
 - resuscitation 87
 - Nicaragua
 - abuse during pregnancy 47
 - emergency care 93
 - neonatal deaths 85
 - Niger
 - district policies 32, 33, 34
 - emergency care 93
 - exclusion from health benefits 27
 - expenditure on child health 117
 - external funding 126
 - human resources gap 95
 - insecticide-treated bednets 46
 - salaries and incentives 33
 - Nigeria
 - child mortality 9, 26
 - expenditure on child health 117
 - northern Africa, increase in skilled attendance at birth 92
 - nurse-midwives 67, 68, 70, 72, 87, 93
 - see also health care workers; midwifery skills; midwives
 - nurses see health care workers
 - nutrition
 - adequate 110
 - see also micronutrients
- O**
- obesity 45
 - obstetric fistulae 64
 - obstetric interventions, life-saving 27
 - see also birth
 - obstetricians see gynaecologists-obstetricians
 - obstructed labour, as cause of maternal death 63, 64
 - oral rehydration therapy xxii, 104, 108
 - orphans, HIV/AIDS 23
 - out of pocket payments see user fees
 - outreach services 112, 115
 - overmedicalization 48, 87, 93, 94
 - oxytocin 63, 94
- P**
- Pakistan
 - child mortality 9

- Pakistan (*continued*)
 exclusion from health benefits 27
 Lady Health Workers 112
 number of births increasing 13
 refugees 24
- Pan American Health Organization 26
- Papua New Guinea, user fees 138–139
- Paraguay, exclusion from health benefits 28
- parenting skills xx, 47, 86, 88, 108
- Partnership for Safe Motherhood and Newborn Health 127
- Peru
 abuse during pregnancy 47
 exclusion from health benefits 28
- placenta, disorders 45
- pneumonia 104, 106, 110, 115
- polio 104, 105
- political aspects, of maternal, neonatal and child health xix, xxiii, 129–132, 141
- political stability 130, 133, 134
- post-abortion care *see* abortion, aftercare
- post-crisis situations 133
see also humanitarian crises
- postnatal visits, low take-up 74
- postpartum period
 care xv, xxi, 73–74
 deaths 62
- poverty
 caused by health care costs xiv, xviii, 28, 140
 effect on health care systems xiv, 21–23
 effect on maternal, neonatal and child health xx
 reason for exclusion 28–29
- poverty reduction strategy 127, 128, 141
- Poverty Reduction Strategy Papers (PRSPs) 128, 129
- pre-eclampsia *see* eclampsia and pre-eclampsia
- pregnancy
 abuse during 47
 adverse circumstances xv
 cause of death, disease or disability xx, 10, 64–65
 complications 44, 45, 62
 dangers 42, 44–46
 ectopic 45
 hopes and expectations 42–43
 illness during 44, 45
 legal protection 52–53
 mental ill-health 45
 molar 45
 mortality rates xiv, 10
 outcomes xx–xxi, 49
 professional care 86
 spacing 86
 unwelcome xv, xxi, 13, 48–51
see also antenatal care
- pregnant women
 marginalized 52
 social, political and legal environments xxi
 status 41, 42
- prematurity/low birth weight 79, 80, 81, 84
- prepayment and pooling schemes xiv, xix, xxiii, 137, 138–140
- primary health care movement 3, 31, 32, 35, 73, 103–105, 112
- professional staff *see* health care workers
- public health aspects, maternal, neonatal and child health xix, 2–3, 6–7, 45, 47, 52
- public sector health care xviii, xix, 134–136, 138, 141
- ## R
- Reaching Every District initiative 115
- referral *see* hospitals, referral
- refugees
 access to abortion 51
 in Pakistan 24
 parasuicide 65
 Rwandan 25
- registration of births and deaths 11, 12
- reproductive health
 indicators 212
 universal access to care xiv, 6, 125
see also contraception
- reproductive tract infections 86
- resource availability, lack of information 128
- resuscitation skills 86, 87
- reversals, in mortality rates xiv, xv, xix, 11, 13, 16, 82, 83
- rituals surrounding birth 69
- rubella vaccination 80, 86
- rubella virus infection 79–80
- Rwanda 25, 87
- ## S
- sample surveys 12
- scaling up
 economic aspects 97, 98, 155–119
 health services/systems xvi–xvii
 Integrated Management of Childhood Illness (IMCI) 112–119
 maternal, neonatal and child health xvii, xxii, xxiii, 93–98, 114–119, 133, 137
- sector-wide approach (SWAp) 128, 129, 137
- Senegal
 emergency care 93
 health centres 32
 inappropriate oxytocin use 94
 increased uptake of services 91
 midwifery training 72
- sepsis 23, 63, 64, 107, 111, 115
see also infection
- Service Availability Mapping 128
- sex ratio 85
- sex selection 85
- sexual assault/coercion 49–50, 65, 85, 141
see also violence
- sexually transmitted infections 126
- Sierra Leone, childbirth costs 139
- skilled attendants
 definition 70
see also birth, skilled attendance; midwifery skills
- smoking cessation programmes 46
- social, political and legal environments xv, xxi

- social exclusion
 - sources xxi
 - see also* exclusion
 - social health insurance 138
 - socioeconomic development 84–85, 130
 - socioeconomic inequalities 25, 29–30
 - solid fuels, indoor air pollution 110
 - South Africa
 - human resources crisis 33
 - user fees eliminated 139
 - South America
 - unsafe abortions 50
 - see also* Americas (Region of the); Latin America
 - South Korea, sex ratio 85
 - South-East Asia Region
 - child mortality 8–9
 - health districts 90
 - immunization coverage 26
 - maternal deaths 62
 - midwifery training 72
 - skilled attendance at birth 92
 - stillbirths and neonatal deaths 79, 82
 - Sri Lanka
 - emergency care 93
 - first-level midwifery care 73
 - maternal mortality 65–66
 - neonatal deaths 85
 - postnatal visits 74
 - sustained improvements 130
 - statistical modelling, difficulty of interpreting 11, 12
 - stillbirths xiv, xxii, 9, 49, 62, 64, 79–80, 88, 94
 - strategic choices xiv–xvi, 125–129
 - sub-Saharan Africa
 - caesarean section rates 94
 - effects of HIV/AIDS xx, 23
 - exclusion from health care 26
 - health districts 90
 - health expenditure 32
 - human resources crisis 33
 - maternal deaths 62
 - maternal mortality 12
 - number of births increasing 13
 - poverty 22
 - reversals in mortality xv, 82, 83
 - skilled attendance at birth 92
 - stillbirths and neonatal deaths 9, 79
 - stunted and underweight children 9
 - uptake of antenatal care 42
 - see also* African Region
 - substance abuse *see* mental ill-health
 - Sudan, post-crisis situation 133
 - sudden infant death syndrome 45
 - suicide or self-harm 65
 - see also* mental ill-health
 - survival gap, between rich and poor 30, 31
 - SWAp *see* sector-wide approach
 - Swaziland, private sector 33
 - Sweden
 - abuse during pregnancy 47, 72
 - midwifery training 72
 - Switzerland, abuse during pregnancy 47
 - syphilis 86
- ## T
- Tajikistan, breakdown of health system 67–68, 127
 - Tanzania (United Republic of)
 - exclusion 27, 28, 139
 - health workers 110, 113
 - ICMI implementation 113
 - user fees 138–139
 - tax-based systems xviii, 137, 138, 140
 - technical knowledge/technology xiv–xvi, xxii, 85, 127, 128, 129, 132
 - tetanus
 - as cause of death xv, 80, 81, 106
 - immunization 81, 86, 115
 - Thailand
 - child health programmes 4
 - financial coverage 140
 - first-level midwifery care 73
 - incentives for rural health 136
 - maternal mortality 66–67
 - tobacco *see* lifestyles, unhealthy
 - Togo
 - salaries and incentives 33
 - skilled care at birth 86
 - traditional birth attendants 66, 70, 89, 90
 - transport to hospital 112
 - tuberculosis xiv, xxi, 23, 45, 46, 127
 - Tunisia, child mortality 105
- ## U
- Uganda
 - District Development Programme 128
 - IMCI-trained health workers 113
 - maternal mortality 23
 - psychiatric morbidity in pregnant women 45
 - United Kingdom
 - abuse during pregnancy 47
 - midwifery training 72
 - suicide as cause of maternal mortality 65
 - United Nations
 - human rights initiatives 5
 - position on abortion 51, 52
 - Universal Declaration of Human Rights 3
 - see also* Millennium Development Goals
 - United Nations Children's Fund (UNICEF) 11, 44, 91, 104
 - United Nations International Conference on Population and Development xiv, 53
 - United Nations Population Fund 11, 64, 91
 - universal access *see* access to care, universal; exclusion
 - Unmet Obstetric Needs Network 27
 - user fees xviii, xxiii, 53, 138, 139

V

- vaccination *see* immunization/vaccination
- vacuum extraction 71
- vertical programmes xxii, 32, 35, 103–106, 114, 127, 129
- Viet Nam
 - neonatal deaths 85
 - social insurance schemes 139
 - suicide as cause of maternal mortality 65
- violence
 - against pregnant women xv, 47, 52
 - associated with unintended pregnancies 50
 - criminalized 53
 - gender-related xxi, 5, 45, 47, 52, 85
 - see also* women
- vital statistics
 - registration 11, 12
 - underreported 9
- vitamin A 25, 34, 107, 109, 115

W

- Western Pacific Region
 - child mortality ix, 8–9
 - immunization coverage 26
 - maternal and neonatal mortality 10, 82
- women
 - barriers to health care 26
 - effect of sex selection 85
 - perceived as ignorant 28
 - rights and entitlements 4, 5, 7
 - status xxi, 49–50, 52, 88
- women's groups 3, 88, 110
- workplace
 - discrimination xv, xxi
 - hazards 45
- World Health Assembly 104, 105, 142
- World Health Organization (WHO)
 - basic indicators for Member States 174
 - encouragement of TBA strategy 70
 - Expanded Programme on Immunization xxii, 104
 - guidelines on pregnancy care 45, 48, 91
 - neonatal mortality estimates 82
 - promotion of maternal and child health and welfare 3
 - role in antenatal screening 69
 - scaling-up scenarios 93

Y

- younger women *see* adolescent girls

Z

- Zaire 32
 - see also* Congo (Democratic Republic)
- Zambia
 - human resources crisis 33
 - maternal mortality 23
 - referrals to hospital 44
 - unsafe abortion 51
- Zimbabwe, human resources crisis 33